

JinkoSolar Provides PV+DG+ESS Complete Solution to Nigeria

JinkoSolar has delivered solar panels with Lithium Io Battery storage off-grid site in Abuja Nigeria.

The project is located in a resort with no grid power supply but needs a year-round reliable and cost-effective off-grid system that can run in tandem with diesel generators. The site management was looking for a reliable and flexible solution where most of its power requirements can be met using solar power and reduce its dependency on diesel generators.





Figure 1: Project Photos

Solar

The solar panels are from JinkoSolar's Tiger Neo with n-type TOPCon technology.

Energy storage

The system is provided with a 1.2 MWh energy storage system, consisting of Li-Ion batteries.

Diesel Generators

The system works in tandem with a diesel generator. A solar PV DG and ESS controller have been designed to control the system.

The system consisting of JinkoSolar's 1 MWp N-type solar hybrid diesel generator with JinkoSolar's 1.2MWh li-Ion battery ESS, is fully integrated and controlled solar PV+ESS+DG integration. CAN Multi protocol has been used for the communication module?

Solar panels generate electricity right from the morning and feed electricity to the resort loads directly. If the resort has low energy demand, the power is fed to the battery for charging the batteries. When the solar PV generation is low or at night the loads are powered through the batteries. If the batteries are drained out the diesel generators automatically start and feed the power to the loads. The surplus power of the diesel generators is also used to charge the batteries. This way the diesel generator running hours are reduced significantly and about 70% of diesel savings are realized.

Thanks to the scalable and flexibility of the system, once the resort loads have increased, additional panels and battery capacities could be added to make the system fully independent of the diesel generators. There are a lot of areas in Nigeria that continuously run on diesel generators. This case study is an example of how these remote facilities can migrate towards green solutions.

"For this kind of Solar hybrid ESS project which is highly complex and depends on multiple technologies, working with JinkoSolar can save customers trouble to be exposed to larger supply chain risk. When issues occur with product performance and safety, sometimes the end customers don't have clarity on who is directly responsible, the panel or ESS suppliers," said Dany Qian, VP of JinkoSolar, "customers have greater confidence in JinkoSolar's manufacturer performance guarantees and warranties, as it has the best understanding of technology with strong R&D teams."


JKS540~1620K-500H



Key Features

- Highly integrated system with various working modes
- LFP ba ery ensures longer ba ery life and higher safety
- Pre-populated transporta on enables faster in-site installa on
- Integrated and op mized fire protec on design, higher security

System Topology



SYSTEM TECHNICAL SPECIFICATIONS

	DC Data
	Battery Chemistry
	Cell Life Cycle
	Cell Specification
	Battery System Configuration
	DC Rated Energy Capacity
	Rated Voltage
	Voltage Range
	BMS Communication Interface
	BMS Communication Protocol
	Max.PV Input Voltage
	Standard/Max PV Power
	MPPT voltage range
	ACD (Cell V Pimumata)
	Mated Voltage
_	

General Data